



Address

114-02 15th Ave. Unit 2, College Point, NY, 11356

Email

[Info@metromobilityusa.com](mailto:Info@metromobilityusa.com)

Tell

Mike 917-680-9000

# PRODUCT CATALOG







Standard



Optional



# M1 Series

The M1 series mobility scooter delivers high-performance operation and easy disassembly for convenience on the go. It provides you extremely driving experience. Enjoy your perfect lifestyle.

Dynamic/PG Controller

High Performance Motor

Speeds up to 8KM/H



Solid Tyres



Pneumatic Tyres



Mobility scooter

Small



M1



M1 Plus



SW1000L



SW1000F



SW1250



SW1200



SW1400

Large

X-Large

Dimensions(L×W×H)	1000(L)×510(W)×920(H)mm	1000(L)×510(W)×920(H)mm	1000(L)×520(W)*×920(H)mm	1000(L)×520(W)×920(H)mm	1280(L)×650(W)×990(H)mm	1210(L)×640(W)×1300(H)mm	1460(L)×730(W)×1320(H)mm
Max Forward Speed	8km/h	8km/h	8km/h	8km/h	12km/h	15km/h	18km/h
Max Driving Gradient	10°	10°	10°	10°	12°	12°	12°
Max Driving Range	15-25km	15-25km	15-25km	15-25km	30±5km	35-50km	45-75km
Weight Capacity	120kg(265lbs)	120kg(265lbs)	120kg(265lbs)	120kg(265lbs)	130kg(300lbs)	150kg(330lbs)	180kg(400lbs)
Suspensions	Rear	Rear	Rear	/	Front&Rear	Front&Rear	Front&Rear
Tire Sizes	9"x3"(Front) 9"x3"(Rear)	9"x3"(Front) 9"x3"(Rear)	8"x2.5"(Front) 9"x3"(Rear)	7"x2.5"(Front) 8"x3"(Rear)	10"x3.5"(Front)10"x3.5"(Rear)	12"x3.5"(Front)12"x3.5"(Rear)	13"x5"(Front)15"x6"(Rear)
Brake System	Electromagnetic Brake	Electromagnetic Brake	Electromagnetic Brake	Electromagnetic Brake	Electromagnetic Brake	Electromagnetic Brake	Electromagnetic Brake
Batteries	Lead-acid 12V12AH/20AH*2pcs	Lead-acid 12V12AH/20AH*2pcs	Lead-acid 12V12AH/20AH*2pcs	Lithium 24V/20AH	Lead-acid 12V35AH*2pcs	Lead-acid 12V38AH/50AH*2pcs	Lead-acid 12V50AH/80AH*2pcs
Charger	DC24V2A AC100-240V	DC24V2A AC100-240V	DC24V2A AC100-240V	DC24V2A AC100-240V	DC24V5A AC115-230V	DC24V5A AC115-230V	DC24V5A AC115-230V
Charging Time	6h	6h	6h	6-8h	6-8h	6-8h	6-8h
Motor	24V/300W	24V/300W	24V/300W	24V/270W(Taiwan)	24V/500W(Taiwan)	24V/800W	24V/1000W(Taiwan)
Motor Controller	24V/50A(Dynamic)	24V/50A(Dynamic)	24V/50A(Dynamic)	24V/50A(PG)	24V/90A(Dynamic)	24V/100A(Dynamic)	24V/140A(Dynamic)
Weight w/o battery	33kg	34kg	31kg	32kg	79kg	69kg	97kg



## SW1250




### Features

- Comfortable seat with headrest
- Flip-up and adjustable armrests
- Detachable front basket
- Stylish and classic appearance
- Multi-feature digital dash/LCD display with easy read user controls
- Speeds up to 12km/h (8mph)
- Comfort-trac front and rear suspensions
- Optional captain seat



Clear control panel



Tire size 10"x3.5"



Reserved bolt for accessories



Large legroom



## SW1400



Upgraded  
version



Clear control panel



Full suspensions



13" and 15" pneumatic tires



Exceptional large legroom



### Features

- Ultra-comfortable seating
- Multi-feature digital dash/LCD display with easy readuser controls
- Full suspension for optimum handling
- Exceptional leg room
- 13" and 15" Pneumatic tyres
- Enhanced 180kg(400lbs.) weight capacity
- Speeds up to 15km/h (9.4mph)
- Storage and Cup Holder located in the tiller
- Optional scooter Sun Canopy
- Optional rear Storage pod
- Optional battery up to 80AH



### Features

- Adjustable tiller to offer best posture
- Large sized pneumatic tires: Front 12" Rear 13"
- Creative solar panel
- Convenient charging port
- Front and rear suspension
- Directional lights, Front and rear LED
- High performance motor
- Enhanced 150kg(330lbs.) weight capacity
- Speeds up to 15km/h (9.4mph)
- Includes Cup Holder located in the tiller
- Comfort-trac front and rear suspension
- Optional rear storage pod
- Optional battery up to 50AH



## SW1200



Clear and simple control panel



Full suspension



Tire size 12"x3.5"



Three wheel scooter



SW3100



SW3200



SW3300

Dimensions(L×W×H)	1560(L)×700(W)×1000(H)mm	1495(L)×660(W)×1100(H)mm	1830(L)×750(W)×1350(H)mm
Max Forward Speed	30km/h	15km/h	23km/h
Max Driving Gradient	12°	12°	12°
Max Driving Range	40-50km	35±5km	30-40km
Weight Capacity	130kg	150kg	155kg
Suspensions	Front&Rear	Front&Rear	Front&Rear
Tire Sizes	3.0 vacuum	16"(Front) 13"(Rear)	23"(Front) 23"(Rear)
Brake System	Front:Disc, Rear:Drum	Front: Disc Rear: Electromagnetic	Electromagnetic Brake
Batteries	Lead-acid 12V20AH*4pcs	Lead-acid 24V38AH/50AH*2pcs	Lead-acid 24V80AH*2pcs
Charger	DC48V3A AC100-240V	DC24V5A AC115-230V	DC24V8A AC115-230V
Charging Time	6-8h	6-8h	6-8h
Motor	500W	800W	1500W
Motor Controller	24V/120A	24V/90A	24V/200A
Weight w/o battery	70kg	75kg	148kg



METRO  
Enjoy your perfect lifestyle.



# Power wheelchair

## Portable wheelchair



SW6000B



SW6000M/E

## Heavyduty chair



SW6000



SW1102



SW1102C



SW1102D



SW1100

Dimensions(L×W×H)	970(L)*560(W)*870(H)mm	1090(L)*605(W)*998(H)mm	1050(L)×670(W)×940(H)mm	980(L)×600(W)×1180(H)mm	1045(L)×625(W)×1080(H)mm	980(L)×600(W)×1180(H)mm	1000(L)×670(W)×1200(H)mm
Max Forward Speed	6km/h	6km/h	8km/h	8km/h	8km/h	8km/h	8km/h
Max Driving Gradient	6°	10°	10°	10°	10°	10°	10°
Max Driving Range	20±4km	30±5km	25±5km	35±5km	35±5km	35±5km	40±5km
Weight Capacity	120kg(265lbs)	120kg(265lbs)	120kg(265lbs)	120kg(265lbs)	136kg(300lbs)	120kg(265lbs)	150kg(330lbs)
Suspensions	/	Front&Rear	/	Rear	Rear	Front	Middle
Tire Sizes	7"(Front) 8"(Rear)	8"(Front) 10"(Rear)	8"x2.5"(Front) 14"x3"(Rear)	7"x2.5"(Front) 14"x3"(Rear)	10"x3"(Front) 14"x3"(Rear)	14"x3"(Front) 8"x2.5"(Rear)	13"x2.5"(Middle) 8"x3"(Front) 8"x3"(Rear)
Brake System	Electromagnetic Brake	Electromagnetic Brake	Electromagnetic Brake	Electromagnetic Brake	Electromagnetic Brake	Electromagnetic Brake	Electromagnetic Brake
Batteries	Lithium 24V/6AH,12AH	Lithium 24V/10.2AH,20AH	Lead-acid 12V35AH*2pcs	Lead-acid 12V40AH*2pcs	Lead-acid 12V40AH*2pcs	Lead-acid 12V40AH*2pcs	Lead-acid 12V40AH*2pcs
Charger	24V/2A	DC24V2A AC115-230V	DC24V5A AC115-230V	DC24V5A AC115-230V	DC24V5A AC115-230V	DC24V5A AC115-230V	DC24V5A AC115-230V
Charging Time	3-6h	5h	6-8h	6-8h	6-8h	6-8h	10-12h
Motor	200W/250W*2pcs	24V/250W*2pcs	24V/320W*2pcs(Taiwan)	24V/320W*2pcs(Taiwan)	24V/450W*2pcs(Taiwan)	24V/320W*2pcs(Taiwan)	24V/300W*2pcs(Taiwan)
Motor Controller	24V/45A	24V/50A	24V/50A(PG from UK)	24V/50A(PG from UK)	24V/50A(PG ,Dynamic)	24V/50A(PG from UK)	24V/50A(PG from UK)
Weight w/o battery	19kg	24kg	45kg	56kg	59kg	56kg	51kg






## SW6000M

### Features

- **Fold and unfold in 1 second**
- Speeds up to 8.5km per hour (5.2mph)
- Large foot platform
- Easy to move after folded
- Joystick available for both sides use
- Optional battery, up to 30Ah to reach more distance



## New Folding Power wheelchair

Sweetrich designed new folding power wheelchair. This compact power chair easy to move after folded and offers convenient storage and has front and signal light. Battery(10.2Ah) are available to carry on in the cabin. You can take your chair, enjoy your perfect life.



Side reflector



Safety lock



Large foot platform



Solid tyres



Joystick



## SW6000E

### Features

- **Folding automatically**
- Speeds up to 8.5km per hour (5.2mph)
- Large foot platform
- Easy to move after folded
- Joystick available for both sides use
- Front light available
- High performance and high efficiency motor
- Under seat storage bag for convenience
- Optional battery, up to 30Ah to reach more distance



Signal light on each side




Convenient battery pack



Front light



Solid tyres



Remote control

Folding automatically

Flip-up armrests

Flip-up foot pedal



Joystick



## SW6000B

Your best choice of travel power wheelchair. This compact chair folds in just a second, you can take it to all your favourite locations with your family, or you can enjoy greater independence.

### Features

- Folds in just a second for effortless transport
- A light weight and portable solution, only 19 kg
- Under seat storage
- Speeds up to 10km/h (6mph)
- Compact size for easy storage
- Solid tyres



**ONLY 19 KG**

L:55cm W:27cm H:75cm



Small folding body



Detach lithium battery



Joystick



Adjustable backrest

Turn-over controller

## SW1102C

### Features

- Outdoor performance
- Adjustable seat width
- Adjustable armrests height
- High performance and high efficiently motor package (Total 700 watts)
- Enhanced 136 kg (300 lbs) weight capacity
- 10" big front wheel, 14" pneumatic tyres
- Joystick available for both sides use
- Optional swing-away controller mount
- Optional light package
- Optional in power tilt and lift system (soon)



Optional light packages with Convenient USB charger port



Adjustable armrests

Available in different position of backrest



Joystick